- L4 ANSWER 1 OF 15 CAPLUS COPYRIGHT 2003 ACS
- AN 2002:813788 CAPLUS
- DN 138:265140
- TI 3D-QSAR and molecular modeling of HIV-1 integrase inhibitors
- AU Makhija, Mahindra T.; Kulkarni, Vithal M.
- CS Pharmaceutical Division, Department of Chemical Technology, University of Mumbai, Mumbai, 400 019, India
- SO Journal of Computer-Aided Molecular Design (2002), 16(3), 181-200 CODEN: JCADEQ; ISSN: 0920-654X
- PB Kluwer Academic Publishers
- DT Journal
- LA English
- AB Three-dimensional quant. structure-activity relationship (3D QSAR) methods were applied on a series of inhibitors of HIV-1 integrase with respect to their inhibition of 3'-processing and 3'-end joining steps in vitro. The training set consisted of 27 compds. belonging to the class of thiazolothiazepines. The predictive ability of each model was evaluated using test set I consisting of four thiazolothiazepines and test set II comprised of seven compds. belonging to an entirely different structural class of coumarins. Maximum Common Substructure (MCS) based method was used to align the mols. and this was compared with other known methods of alignment. Two methods of 3D QSAR: comparative mol. field anal. (CoMFA) and comparative mol. similarity indexes anal. (CoMSIA) were analyzed in terms of their predictive abilities. CoMSIA produced significantly better results for all correlations. The results indicate a strong correlation between the inhibitory activity of these compds. and the steric and electrostatic fields around them. CoMSIA models with considerable internal as well as external predictive ability were obtained. A poor correlation obtained with hydrophobic field indicates that the binding of thiazolothiazepines to HIV-1 integrase is mainly enthalpic in nature. Further the most active compd. of the series was docked into the active site using the crystal structure of integrase. The binding site was formed by the amino acid residues 64-67, 116, 148, 151-152, 155-156, and 159. The comparison of coeff. contour maps with the steric and electrostatic properties of the receptor shows high level of compatibility.
- IT 125262-81-9 151324-42-4 151324-43-5
 - 151324-45-7 151324-46-8 151324-47-9
 - 244610-00-2 244610-01-3 244610-02-4
 - 244610-03-5 244610-04-6 244610-05-7
 - 244610-06-8 244610-07-9 244610-08-0
 - 244610-09-1 244610-10-4 244610-13-7
 - 244610-14-8 244610-15-9 244610-16-0
 - 244610-17-1 244626-16-2 244626-17-3
 - 244626-18-4 306274-75-9 306274-76-0

RL: DMA (Drug mechanism of action); PAC (Pharmacological activity); PRP (Properties); THU (Therapeutic use); BIOL (Biological study); USES (Uses) (3D-QSAR and mol. modeling of HIV-1 integrase inhibitors)

- RN 125262-81-9 CAPLUS
- CN 5H,11H-Pyrrolo[2,1-c][1,4]benzothiazepine-5,11-dione, 1,2,3,11a-tetrahydro-7,8-dimethoxy- (9CI) (CA INDEX NAME)

7

RN 151324-42-4 CAPLUS

CN 3H,5H,11H-Thiazolo[4,3-c][1,4]benzothiazepine-5,11-dione, 1,11a-dihydro-(9CI) (CA INDEX NAME)

RN 151324-43-5 CAPLUS

CN 3H,5H,11H-Thiazolo[4,3-c][1,4]benzothiazepine-5,11-dione, 1,11a-dihydro-7,8-dimethoxy- (9CI) (CA INDEX NAME)

RN 151324-45-7 CAPLUS

CN 1H,3H,5H-Thiazolo[4,3-c][1,4]benzothiazepin-5-one, 11,11a-dihydro-3-phenyl-(9CI) (CA INDEX NAME)

RN 151324-46-8 CAPLUS

CN 5H-Thiazolo[2,3-c][1,4]benzothiazepine-5,11(11aH)-dione, 2,3-dihydro-(9CI) (CA INDEX NAME)

RN 151324-47-9 CAPLUS

CN 12H-Pyrido[2,1-c][1,4]benzothiazepine-6,12(6aH)-dione, 7,8,9,10-tetrahydro- (9CI) (CA INDEX NAME)

RN 244610-00-2 CAPLUS

CN 5H-Thiazolo[2,3-c][1,4]benzothiazepine-5,11(11aH)-dione, 7-chloro-2,3-dihydro- (9CI) (CA INDEX NAME)

RN 244610-01-3 CAPLUS

CN 5H-Thiazolo[2,3-c][1,4]benzothiazepine-5,11(11aH)-dione, 7-bromo-2,3-dihydro- (9CI) (CA INDEX NAME)

RN 244610-02-4 CAPLUS

CN 5H-Thiazolo[2,3-c][1,4]benzothiazepine-5,11(11aH)-dione, 2,3-dihydro-7-methyl- (9CI) (CA INDEX NAME)

RN 244610-03-5 CAPLUS

CN 3H,5H,11H-Thiazolo[4,3-c][1,4]benzothiazepine-5,11-dione, 7-chloro-1,11a-dihydro- (9CI) (CA INDEX NAME)

RN 244610-04-6 CAPLUS

CN 3H,5H,11H-Thiazolo[4,3-c][1,4]benzothiazepine-5,11-dione, 7-bromo-1,11a-dihydro- (9CI) (CA INDEX NAME)

RN 244610-05-7 CAPLUS

CN 3H,5H,11H-Thiazolo[4,3-c][1,4]benzothiazepine-5,11-dione, 1,11a-dihydro-7-methyl- (9CI) (CA INDEX NAME)

RN 244610-06-8 CAPLUS

CN 3H,5H,11H-Thiazolo[4,3-c][1,4]benzothiazepine-5,11-dione, 1,11a-dihydro-8-nitro- (9CI) (CA INDEX NAME)

RN 244610-07-9 CAPLUS

CN 3H,5H,11H-Thiazolo[4,3-c][1,4]benzothiazepine-5,11-dione, 1,11a-dihydro-7-methoxy- (9CI) (CA INDEX NAME)

RN 244610-08-0 CAPLUS

CN 3H,5H,11H-Oxazolo[4,3-c][1,4]benzothiazepine-5,11-dione, 1,11a-dihydro-(9CI) (CA INDEX NAME)

RN 244610-09-1 CAPLUS

CN 5H-Thiazolo[2,3-c][1,4]benzothiazepine-5,11(11aH)-dione, 2,3-dihydro-7-methyl-, 1-oxide (9CI) (CA INDEX NAME)

RN 244610-10-4 CAPLUS

CN 3H,5H,11H-Thiazolo[4,3-c][1,4]benzothiazepine-5,11-dione, 1,11a-dihydro-

2-oxide (9CI) (CA INDEX NAME)

RN 244610-13-7 CAPLUS

CN 5H-Naphtho[2,3-f]thiazolo[2,3-c][1,4]thiazepine-5,13(13aH)-dione, 2,3-dihydro- (9CI) (CA INDEX NAME)

RN 244610-14-8 CAPLUS

CN 3H,5H,13H-Naphtho[2,3-f]thiazolo[4,3-c][1,4]thiazepine-5,13-dione, 1,13a-dihydro- (9CI) (CA INDEX NAME)

RN 244610-15-9 CAPLUS

CN 1H,5H-Pyrrolo[2,1-c][1,4]benzothiazepin-5-one, 2,3,11,11a-tetrahydro-7,8-dimethoxy- (9CI) (CA INDEX NAME)

RN 244610-16-0 CAPLUS

CN 1H,5H-Pyrrolo[2,1-c][1,4]benzothiazepin-5-one, 2,3,11,11a-tetrahydro-11-hydroxy-11-phenyl- (9CI) (CA INDEX NAME)

RN 244610-17-1 CAPLUS

CN 1H,5H-Pyrrolo[2,1-c][1,4]benzothiazepin-5-one, 2,3,11,11a-tetrahydro-11-(4-methyl-1-piperazinyl)- (9CI) (CA INDEX NAME)

RN 244626-16-2 CAPLUS

CN 1H,5H-Pyrrolo[2,1-c][1,4]benzothiazepin-5-one, 11-(acetyloxy)-2,3,11,11a-tetrahydro-(9CI) (CA INDEX NAME)

RN 244626-17-3 CAPLUS

CN 1H,5H-Pyrrolo[2,1-c][1,4]benzothiazepin-5-one, 2,3,11,11a-tetrahydro-11-methoxy- (9CI) (CA INDEX NAME)

RN 244626-18-4 CAPLUS

CN 1H,5H-Pyrrolo[2,1-c][1,4]benzothiazepin-5-one, 2,3,11,11a-tetrahydro-11-hydroxy- (9CI) (CA INDEX NAME)

RN 306274-75-9 CAPLUS

CN 3H,5H,11H-Thiazolo[4,3-c][1,4]benzothiazepine-5,11-dione, 7-chloro-1,11a-dihydro-, 2-oxide (9CI) (CA INDEX NAME)

RN 306274-76-0 CAPLUS

CN 3H,5H,11H-Thiazolo[4,3-c][1,4]benzothiazepine-5,11-dione, 1,11a-dihydro-7-methoxy-, 2-oxide (9CI) (CA INDEX NAME)

RE.CNT 46 THERE ARE 46 CITED REFERENCES AVAILABLE FOR THIS RECORD ALL CITATIONS AVAILABLE IN THE RE FORMAT

L4 ANSWER 2 OF 15 CAPLUS COPYRIGHT 2003 ACS

AN 2002:324031 CAPLUS

DN 137:272786

TI Molecular electrostatic potentials as input for the alignment of HIV-1 integrase inhibitors in 3d QSAR

AU Makhija, Mahindra T.; Kulkarni, Vithal M.

CS Pharmaceutical Division, Department of Chemical Technology, University of

Mumbai, Mumbai, 400 019, India

SO Journal of Computer-Aided Molecular Design (2002), Volume Date 2001, 15(11), 961-978

CODEN: JCADEQ; ISSN: 0920-654X

PB Kluwer Academic Publishers

DT Journal

LA English

AB Comparative mol. similarity indexes anal. (CoMSIA), a three-dimensional quant. structure activity relation (3D QSAR) paradigm, was used to examine

the correlations between the calcd. physicochem. properties and the in vitro activities (3'-processing and 3'-strand transfer inhibition) of a series of human immunodeficiency virus type 1 (HIV-1) integrase inhibitors. The training set consisted of 34 mols. from five structurally

diverse classes: salicylpyrazolinones, dioxepinones, coumarins, quinones,

and benzoic hydrazides. The data set was aligned using extrema of mol. electrostatic potentials (MEPs). The predictive ability of the resultant

model was evaluated using a test set comprised of 7 mols. belonging to a different structural class of thiazepinediones. A CoMSIA model using an MEP-based alignment showed considerable internal as well external predictive ability (r2cv = 0.821, r2pred. = 0.608 for 3'-processing; and r2cv = 0.759, r2pred. = 0.660 for 3'-strand transfer).

IT 151324-43-5 244610-00-2 244610-01-3 244610-02-4 244610-07-9 244610-13-7 244610-14-8

RL: PAC (Pharmacological activity); PRP (Properties); BIOL (Biological study)

(mol. electrostatic potentials as input for alignment of HIV-1 integrase inhibitors in 3d QSAR)

RN 151324-43-5 CAPLUS

CN 3H,5H,11H-Thiazolo[4,3-c][1,4]benzothiazepine-5,11-dione, 1,11a-dihydro-7,8-dimethoxy- (9CI) (CA INDEX NAME)

RN 244610-00-2 CAPLUS

CN 5H-Thiazolo[2,3-c][1,4]benzothiazepine-5,11(11aH)-dione, 7-chloro-2,3-dihydro- (9CI) (CA INDEX NAME)

RN 244610-01-3 CAPLUS

CN 5H-Thiazolo[2,3-c][1,4]benzothiazepine-5,11(11aH)-dione, 7-bromo-2,3-dihydro- (9CI) (CA INDEX NAME)

RN 244610-02-4 CAPLUS

CN 5H-Thiazolo[2,3-c][1,4]benzothiazepine-5,11(11aH)-dione, 2,3-dihydro-7-methyl- (9CI) (CA INDEX NAME)

RN 244610-07-9 CAPLUS

CN 3H,5H,11H-Thiazolo[4,3-c][1,4]benzothiazepine-5,11-dione, 1,11a-dihydro-7-methoxy- (9CI) (CA INDEX NAME)

RN 244610-13-7 CAPLUS

CN 5H-Naphtho[2,3-f]thiazolo[2,3-c][1,4]thiazepine-5,13(13aH)-dione, 2,3-dihydro- (9CI) (CA INDEX NAME)

RE.CNT 39 THERE ARE 39 CITED REFERENCES AVAILABLE FOR THIS RECORD ALL CITATIONS AVAILABLE IN THE RE FORMAT

L4 ANSWER 3 OF 15 CAPLUS COPYRIGHT 2003 ACS

AN 2002:170729 CAPLUS

DN 137:210398

TI QSAR of HIV-1 integrase inhibitors by genetic function approximation method

AU Makhija, Mahindra T.; Kulkarni, Vithal M.

CS Department of Chemical Technology, Pharmaceutical Division, University of

Mumbai, Matunga, Mumbai, 400 019, India

SO Bioorganic & Medicinal Chemistry (2002), 10(5), 1483-1497 CODEN: BMECEP; ISSN: 0968-0896

PB Elsevier Science Ltd.

DT Journal

LA English

AB Quant. structure-activity relation (QSAR) paradigm, using genetic function

approxn. (GFA) technique was used to examine the correlations between the $\ensuremath{\mathsf{C}}$

calcd. physicochem. descriptors and the in vitro activities (3'-processing

and 3'-strand transfer inhibition) of a series of human immunodeficiency virus type 1 (HIV-1) integrase inhibitors. Depending on the chem. structure, all mols. were divided into two classes-catechols and noncatechols. Eighty-one mols. were used in the present study and they were divided into training set and test set. The training set in each class consisted of 35 mols. and QSAR models were generated sep. for both catechols and noncatechols. Equations were evaluated using internal as well as external test set predictions. Models generated for catechols show that electronic, shape related, and thermodn. parameters are important whereas for noncatechols, spatial, structural, and thermodn. properties play an important role for the activity.

TT 151324-43-5 244610-00-2 244610-01-3 244610-02-4 244610-07-9 244610-13-7

244610-14-8

RL: PAC (Pharmacological activity); PRP (Properties); BIOL (Biological study)

(QSAR of HIV-1 integrase inhibitors by genetic function approxn. method)

RN 151324-43-5 CAPLUS

CN 3H,5H,11H-Thiazolo[4,3-c][1,4]benzothiazepine-5,11-dione, 1,11a-dihydro-7,8-dimethoxy- (9CI) (CA INDEX NAME)

RN 244610-00-2 CAPLUS

CN 5H-Thiazolo[2,3-c][1,4]benzothiazepine-5,11(11aH)-dione, 7-chloro-2,3-dihydro- (9CI) (CA INDEX NAME)

RN 244610-01-3 CAPLUS

CN 5H-Thiazolo[2,3-c][1,4]benzothiazepine-5,11(11aH)-dione, 7-bromo-2,3-dihydro- (9CI) (CA INDEX NAME)

RN 244610-02-4 CAPLUS

CN 5H-Thiazolo[2,3-c][1,4]benzothiazepine-5,11(11aH)-dione, 2,3-dihydro-7-methyl- (9CI) (CA INDEX NAME)

RN 244610-07-9 CAPLUS

CN 3H,5H,11H-Thiazolo[4,3-c][1,4]benzothiazepine-5,11-dione, 1,11a-dihydro-7-methoxy- (9CI) (CA INDEX NAME)

RN 244610-13-7 CAPLUS

CN 5H-Naphtho[2,3-f]thiazolo[2,3-c][1,4]thiazepine-5,13(13aH)-dione, 2,3-dihydro- (9CI) (CA INDEX NAME)

RN 244610-14-8 CAPLUS

CN 3H,5H,13H-Naphtho[2,3-f]thiazolo[4,3-c][1,4]thiazepine-5,13-dione, 1,13a-dihydro- (9CI) (CA INDEX NAME)

RE.CNT 35 THERE ARE 35 CITED REFERENCES AVAILABLE FOR THIS RECORD ALL CITATIONS AVAILABLE IN THE RE FORMAT

L4 ANSWER 4 OF 15 CAPLUS COPYRIGHT 2003 ACS

AN 2001:729988 CAPLUS

DN 136:195

TI Eigen Value Analysis of HIV-1 Integrase Inhibitors

AU Makhija, Mahindra T.; Kulkarni, Vithal M.

CS Pharmaceutical Division Department of Chemical Technology, University of Mumbai, Matunga, Mumbai, 400 019, India

SO Journal of Chemical Information and Computer Sciences (2001), 41(6), 1569-1577

CODEN: JCISD8; ISSN: 0095-2338

PB American Chemical Society

DT Journal

LA English

AB A three-dimensional quant. structure activity relation using the eigen value anal. (EVA) paradigm applied to 41 HIV-1 integrase inhibitors that inhibit integrase mediated cleavage (3'-processing step) and integration (3'-strand transfer step) in vitro was performed. The training set consisted of 35 mols. from five structurally diverse classes: salicylhydrazines, lichen acids, coumarins, quinones, and thiazolothiazepines. Models derived using semiempirical (MOPAC AM1 and PM3) calcd. normal-mode frequencies were compared. The predictive ability

of each resultant model was evaluated using a test set comprised of six mols. belonging to a different structural class: hydrazides. Models derived using AM1 method showed considerable internal as well as external

predictivity (r2cv = 0.806, r2pred = 0.761 for 3'-processing and r2cv = 0.677, r2pred = 0.591 for 3'-strand transfer).

IT 151324-43-5 244610-00-2 244610-01-3 244610-02-4 244610-07-9 244610-13-7 244610-14-8

(Eigen value QSAR anal. of HIV-1 integrase inhibitors)

RN 151324-43-5 CAPLUS

CN 3H,5H,11H-Thiazolo[4,3-c][1,4]benzothiazepine-5,11-dione, 1,11a-dihydro-7,8-dimethoxy- (9CI) (CA INDEX NAME)

RN 244610-00-2 CAPLUS

CN 5H-Thiazolo[2,3-c][1,4]benzothiazepine-5,11(11aH)-dione, 7-chloro-2,3-dihydro- (9CI) (CA INDEX NAME)

RN 244610-01-3 CAPLUS

CN 5H-Thiazolo[2,3-c][1,4]benzothiazepine-5,11(11aH)-dione, 7-bromo-2,3-dihydro- (9CI) (CA INDEX NAME)

RN 244610-02-4 CAPLUS

CN 5H-Thiazolo[2,3-c][1,4]benzothiazepine-5,11(11aH)-dione, 2,3-dihydro-7-methyl- (9CI) (CA INDEX NAME)

RN 244610-07-9 CAPLUS

CN 3H,5H,11H-Thiazolo[4,3-c][1,4]benzothiazepine-5,11-dione, 1,11a-dihydro-7-methoxy- (9CI) (CA INDEX NAME)

RN 244610-13-7 CAPLUS


CN 5H-Naphtho[2,3-f]thiazolo[2,3-c][1,4]thiazepine-5,13(13aH)-dione, 2,3-dihydro- (9CI) (CA INDEX NAME)

RN 244610-14-8 CAPLUS
CN 3H,5H,13H-Naphtho[2,3-f]thiazolo[4,3-c][1,4]thiazepine-5,13-dione,
1,13a-dihydro- (9CI) (CA INDEX NAME)

RE.CNT 44 THERE ARE 44 CITED REFERENCES AVAILABLE FOR THIS RECORD ALL CITATIONS AVAILABLE IN THE RE FORMAT

- L4 ANSWER 5 OF 15 CAPLUS COPYRIGHT 2003 ACS
- AN 2001:178041 CAPLUS
- DN 135:5231
- TI Base-promoted aminoethylation of thiols with 2-oxazolidinones: a simple synthesis of 2-aminoethyl sulfides
- AU Ishibashi, H.; Uegaki, M.; Sakai, M.; Takeda, Y.
- CS Faculty of Pharmaceutical Sciences, Kanazawa University, Takara-machi, Kanazawa, 920-0934, Japan
- SO Tetrahedron (2001), 57(11), 2115-2120 CODEN: TETRAB; ISSN: 0040-4020
- PB Elsevier Science Ltd.
- DT Journal
- LA English
- OS CASREACT 135:5231
- AB A simple synthesis of 2-aminoethyl sulfides using a base-promoted reaction of 2-oxazolidinones with thiols is described. An application of this method to the synthesis of chiral 2-aminoethyl sulfides and sulfur-contg. heterocyclic compds. is also presented.
- IT 121451-33-0P
 - RL: SPN (Synthetic preparation); PREP (Preparation) (prepn. of of 2-aminoethyl sulfides by base-promoted aminoethylation of thiols with 2-oxazolidinones)
- RN 121451-33-0 CAPLUS
- CN 1H,5H-Pyrrolo[2,1-c][1,4]benzothiazepin-5-one, 2,3,11,11a-tetrahydro-, (11aS)- (9CI) (CA INDEX NAME)

Absolute stereochemistry. Rotation (+).



RE.CNT 42 THERE ARE 42 CITED REFERENCES AVAILABLE FOR THIS RECORD ALL CITATIONS AVAILABLE IN THE RE FORMAT

App's

```
L4 ANSWER 6 OF 15 CAPLUS COPYRIGHT 2003 ACS
```

AN 2000:814491 CAPLUS

DN 133:350256

TI Preparation of benzothiazepines as inhibitors of HIV-1 integrase

IN Neamati, Nouri; Pommier, Yves; Garofalo, Antonio; Nacci, Vito

PA United States Dept. of Health and Human Services, USA

SO PCT Int. Appl., 56 pp.

CODEN: PIXXD2

DT Patent

LA English

FAN. CNT 1

os

GI

r Auv •	PATENT NO.				KIND		DATE			APPLICATION NO.					DATE			
PI	WO	2000068235			A1		20001116			WO 2000-US12847					20000510			
		W:	ΑE,	AG,	AL,	AM,	AT,	AU,	ΑZ,	BA,	BB,	BG,	BR,	BY,	CA,	CH,	CN,	CR,
			CU,	CZ,	DE,	DK,	DM,	DZ,	EE,	ES,	FI,	GB,	GD,	GE,	GH,	GM,	HR,	HU,
			ID,	IL,	IN,	IS,	JP,	KE,	KG,	KP,	KR,	KZ,	LC,	LK,	LR,	LS,	LT,	LU,
			LV,	MA,	MD,	MG,	MK,	MN,	MW,	MX,	NO,	NZ,	PL,	PT,	RO,	RU,	SD,	SE,
			SG,	SI,	SK,	SL,	ТJ,	TM,	TR,	TT,	TZ,	UA,	UG,	US,	UZ,	VN,	YU,	ZA,
			ZW,	AM,	ΑZ,	BY,	KG,	KZ,	MD,	RU,	TJ,	TM						
		RW:	GH,	GM,	KE,	LS,	MW,	SD,	SL,	SZ,	TZ,	ŪG,	ZW,	ΑT,	BE,	CH,	CY,	DE,
			DK,	ES,	FI,	FR,	GB,	GR,	ΙE,	IT,	LU,	MC,	NL,	PT,	SE,	BF,	ВJ,	CF,
			CG,	CI,	CM,	GΑ,	GN,	GW,	ML,	MR,	NE,	SN,	TD,	TG				
	ΕP	1187837			A1 20020320					EP 2000-932279 20000510								
		R:	AT,	BE,	CH,	DE,	DK,	ES,	FR,	GB,	GR,	IT,	LI,	LU,	NL,	SE,	MC,	PT,
			ΙE,	SI,	LT,	LV,	FI,	RO										
PRAI	US	1999-133726P			P		19990512											
	WO	2000-US12847			W		2000	0510										

MARPAT 133:350256

II

AB Title compds. [I; A = thiazole, benzene, naphthalene, pyridine, pyrimidine, pyrazine, quinoline; R = H, Cl, Br, F, I, lower alkyl, lower alkoxy, NO2, lower ester, COOH; n = 0, 1, 2; X-Y = CH2S, SCH2, (CH2)2, (CH2)3, (CH2)4, CH2O, S(:O)CH2, CH2S(:O); W = S, O; Q = CH2, CO; R4 = H, OH; R6 = H, C6H5, CH2N(CH3)2, CH2N(CH2CH2)2NCH3; Z = S, O, CH2, (CH2)2, CO, CH(C6H5), CH(4-FC6H4), CHCOOCH2CH3, C(OH)(C6H5), CHOH, CHOCH3, CHOCOCH3; dotted bond = single, double] and pharmaceutically acceptable salts are prepd. as anti-integrase inhibitors useful as treatments for

HIV

disease. Thus, the title compd. II was prepd., tested and use as prophylactic treatment against HIV infection.

IT 151433-63-5P

RL: BAC (Biological activity or effector, except adverse); BSU (Biological $\,$

study, unclassified); RCT (Reactant); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation); RACT (Reactant or reagent) (prepn. of benzothiazepine as inhibitors of HIV-1 integrase)

RN 151433-63-5 CAPLUS

CN 5H,11H-Pyrrolo[2,1-c][1,4]benzothiazepine-5,11-dione, 1,2,3,11a-tetrahydro-

(9CI) (CA INDEX NAME)

IT 151324-43-5P 151324-45-7P 151324-46-8P 244610-00-2P 244610-01-3P 244610-04-6P 244610-05-7P 244610-06-8P 244610-08-0P 244610-09-1P 244610-10-4P 244610-13-7P 244610-14-8P 244610-15-9P 244610-16-0P 244610-17-1P 244626-16-2P 244626-17-3P 244626-18-4P 306274-74-8P

RL: BAC (Biological activity or effector, except adverse); BSU (Biological $\,$

study, unclassified); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation)

(prepn. of benzothiazepine as inhibitors of HIV-1 integrase)

RN 151324-43-5 CAPLUS

CN 3H,5H,11H-Thiazolo[4,3-c][1,4]benzothiazepine-5,11-dione, 1,11a-dihydro-7,8-dimethoxy- (9CI) (CA INDEX NAME)

RN 151324-45-7 CAPLUS

CN 1H,3H,5H-Thiazolo[4,3-c][1,4]benzothiazepin-5-one, 11,11a-dihydro-3-phenyl-

(9CI) (CA INDEX NAME)

RN 151324-46-8 CAPLUS

CN 5H-Thiazolo[2,3-c][1,4]benzothiazepine-5,11(11aH)-dione, 2,3-dihydro-(9CI) (CA INDEX NAME)

RN 244610-00-2 CAPLUS

CN 5H-Thiazolo[2,3-c][1,4]benzothiazepine-5,11(11aH)-dione, 7-chloro-2,3-dihydro- (9CI) (CA INDEX NAME)

RN 244610-01-3 CAPLUS

CN 5H-Thiazolo[2,3-c][1,4]benzothiazepine-5,11(11aH)-dione, 7-bromo-2,3-dihydro- (9CI) (CA INDEX NAME)

RN 244610-04-6 CAPLUS

CN 3H,5H,11H-Thiazolo[4,3-c][1,4]benzothiazepine-5,11-dione, 7-bromo-1,11a-dihydro- (9CI) (CA INDEX NAME)

RN 244610-05-7 CAPLUS

CN 3H,5H,11H-Thiazolo[4,3-c][1,4]benzothiazepine-5,11-dione, 1,11a-dihydro-7-methyl- (9CI) (CA INDEX NAME)

RN 244610-06-8 CAPLUS

CN 3H,5H,11H-Thiazolo[4,3-c][1,4]benzothiazepine-5,11-dione, 1,11a-dihydro-8-nitro- (9CI) (CA INDEX NAME)

RN 244610-08-0 CAPLUS

CN 3H,5H,11H-Oxazolo[4,3-c][1,4]benzothiazepine-5,11-dione, 1,11a-dihydro-(9CI) (CA INDEX NAME)

RN 244610-09-1 CAPLUS

CN 5H-Thiazolo[2,3-c][1,4]benzothiazepine-5,11(11aH)-dione, 2,3-dihydro-7-methyl-, 1-oxide (9CI) (CA INDEX NAME)

$$\mathbb{N}_{\mathsf{Me}}$$

RN 244610-10-4 CAPLUS

CN 3H,5H,11H-Thiazolo[4,3-c][1,4]benzothiazepine-5,11-dione, 1,11a-dihydro-

2-oxide (9CI) (CA INDEX NAME)

RN 244610-13-7 CAPLUS

CN 5H-Naphtho[2,3-f]thiazolo[2,3-c][1,4]thiazepine-5,13(13aH)-dione, 2,3-dihydro- (9CI) (CA INDEX NAME)

RN 244610-14-8 CAPLUS

CN 3H,5H,13H-Naphtho[2,3-f]thiazolo[4,3-c][1,4]thiazepine-5,13-dione, 1,13a-dihydro- (9CI) (CA INDEX NAME)

RN 244610-15-9 CAPLUS

CN 1H,5H-Pyrrolo[2,1-c][1,4]benzothiazepin-5-one, 2,3,11,11a-tetrahydro-7,8-

dimethoxy- (9CI) (CA INDEX NAME)

RN 244610-16-0 CAPLUS

CN 1H,5H-Pyrrolo[2,1-c][1,4]benzothiazepin-5-one, 2,3,11,11a-tetrahydro-11-hydroxy-11-phenyl- (9CI) (CA INDEX NAME)

RN 244610-17-1 CAPLUS

CN 1H,5H-Pyrrolo[2,1-c][1,4]benzothiazepin-5-one, 2,3,11,11a-tetrahydro-11-

(4 methyl-1-piperazinyl) - (9CI) (CA INDEX NAME)

RN 244626-16-2 CAPLUS

CN 1H,5H-Pyrrolo[2,1-c][1,4]benzothiazepin-5-one, 11-(acetyloxy)-

2,3,11,11a-

tetrahydro- (9CI) (CA INDEX NAME)

RN 244626-17-3 CAPLUS

CN 1H,5H-Pyrrolo[2,1-c][1,4]benzothiazepin-5-one, 2,3,11,11a-tetrahydro-11-methoxy- (9CI) (CA INDEX NAME)

RN 244626-18-4 CAPLUS

CN 1H,5H-Pyrrolo[2,1-c][1,4]benzothiazepin-5-one, 2,3,11,11a-tetrahydro-11-hydroxy- (9CI) (CA INDEX NAME)

RN 306274-74-8 CAPLUS

CN 3H,5H,11H-Oxazolo[4,3-c][1,4]benzothiazepine-5,11-dione, 1,11a-dihydro-7,8-dimethoxy- (9CI) (CA INDEX NAME)

IT 149910-60-1

RL: RCT (Reactant); RACT (Reactant or reagent)
 (prepn. of benzothiazepine as inhibitors of HIV-1 integrase)

RN 149910-60-1 CAPLUS

CN 1H,5H-Pyrrolo[2,1-c][1,4]benzothiazepin-5-one, 11-chloro-2,3,11,11a-tetrahydro-, (11S,11aS)- (9CI) (CA INDEX NAME)

Absolute stereochemistry. Rotation (+).

IT 151324-42-4P 244610-02-4P 244610-03-5P 244610-07-9P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation);

RACT

(Reactant or reagent)

(prepn. of benzothiazepine as inhibitors of HIV-1 integrase)

RN 151324-42-4 CAPLUS

CN 3H,5H,11H-Thiazolo[4,3-c][1,4]benzothiazepine-5,11-dione, 1,11a-dihydro-(9CI) (CA INDEX NAME)

RN 244610-02-4 CAPLUS

CN 5H-Thiazolo[2,3-c][1,4]benzothiazepine-5,11(11aH)-dione, 2,3-dihydro-7-methyl- (9CI) (CA INDEX NAME)

RN 244610-03-5 CAPLUS

CN 3H,5H,11H-Thiazolo[4,3-c][1,4]benzothiazepine-5,11-dione, 7-chloro-1,11a-dihydro- (9CI) (CA INDEX NAME)

RN 244610-07-9 CAPLUS

CN 3H,5H,11H-Thiazolo[4,3-c][1,4]benzothiazepine-5,11-dione, 1,11a-dihydro-7-methoxy- (9CI) (CA INDEX NAME)

IT 306274-75-9P 306274-76-0P

RL: SPN (Synthetic preparation); PREP (Preparation) (prepn. of benzothiazepine as inhibitors of HIV-1 integrase)

RN 306274-75-9 CAPLUS

CN 3H,5H,11H-Thiazolo[4,3-c][1,4]benzothiazepine-5,11-dione, 7-chloro-1,11a-dihydro-, 2-oxide (9CI) (CA INDEX NAME)

RN 306274-76-0 CAPLUS

CN 3H,5H,11H-Thiazolo[4,3-c][1,4]benzothiazepine-5,11-dione, 1,11a-dihydro-7-methoxy-, 2-oxide (9CI) (CA INDEX NAME)

RE.CNT 6 THERE ARE 6 CITED REFERENCES AVAILABLE FOR THIS RECORD ALL CITATIONS AVAILABLE IN THE RE FORMAT

L4 ANSWER 7 OF 15 CAPLUS COPYRIGHT 2003 ACS

AN 1999:474380 CAPLUS

DN 131:257538

TI Thiazolothiazepine Inhibitors of HIV-1 Integrase

AU Neamati, Nouri; Turpin, Jim A.; Winslow, Heather E.; Christensen, John L.;

Williamson, Karen; Orr, Ann; Rice, William G.; Pommier, Yves; Garofalo, Antonio; Brizzi, Antonella; Campiani, Giuseppe; Fiorini, Isabella; Nacci,

Vito

CS Laboratory of Molecular Pharmacology Division of Basic Sciences, National

Cancer Institute, Bethesda, MD, 20892-4255, USA

SO Journal of Medicinal Chemistry (1999), 42(17), 3334-3341 7/3/1/99
CODEN: JMCMAR; ISSN: 0022-2623

PB American Chemical Society

DT Journal

LA English

GΙ

Y

$$\begin{array}{c} R \\ R1 \\ \end{array}$$

AB A series of thiazolothiazepines were prepd. and tested against purified human immunodeficiency virus type-1 integrase (HIV-1 IN) and viral replication. Structure-activity studies reveal that the compds. possessing the pentat. moiety SC(O)CNC(O) with two carbonyl groups are in

general more potent against purified IN than those contg. only one carbonyl group. Substitution with electron-donating or -withdrawing groups did not enhance nor abolish potency against purified IN. By contrast, compds. with a naphthalene ring system showed enhanced potency,

suggesting that a hydrophobic pocket in the IN active site might accommodate an arom. system rather than a halogen. The position of sulfur

in the thiazole ring appears important for potency against IN, as its replacement with an oxygen or carbon abolished activity. Further extension of the thiazole ring diminished potency. I [R, R1 = H, X = S,

= CH2; RR1 = CH:CHCH:CH; X = S, Y = CH2; X = CH2, Y = S] showed antiviral

activity and inhibited IN within similar concns. These compds. inhibited

IN when Mn2+ or Mg2+ was used as cofactor. None of these compds. showed detectable activities against HIV-1 reverse transcriptase, protease, virus

attachment, or nucleocapsid protein zinc fingers. Therefore, thiazolothiazepines are potentially important lead compds. for

development

as inhibitors of IN and HIV replication.

IT 125262-81-9 151324-43-5 151324-45-7

151324-46-8 151324-47-9 244610-00-2

244610-01-3 244610-15-9 244626-16-2

244626-17-3 244626-18-4

RL: BAC (Biological activity or effector, except adverse); BSU (Biological

study, unclassified); BIOL (Biological study)

(prepn. of thiazolothiazepines as inhibitors of HIV-1 integrase)

RN 125262-81-9 CAPLUS

CN 5H,11H-Pyrrolo[2,1-c][1,4]benzothiazepine-5,11-dione, 1,2,3,11a-tetrahydro-

7,8-dimethoxy- (9CI) (CA INDEX NAME)

RN 151324-43-5 CAPLUS

CN 3H,5H,11H-Thiazolo[4,3-c][1,4]benzothiazepine-5,11-dione, 1,11a-dihydro-7,8-dimethoxy- (9CI) (CA INDEX NAME)

RN 151324-45-7 CAPLUS

CN 1H,3H,5H-Thiazolo[4,3-c][1,4]benzothiazepin-5-one, 11,11a-dihydro-3-phenyl-

(9CI) (CA INDEX NAME)

RN 151324-46-8 CAPLUS

CN 5H-Thiazolo[2,3-c][1,4]benzothiazepine-5,11(11aH)-dione, 2,3-dihydro-(9CI) (CA INDEX NAME)

RN 151324-47-9 CAPLUS

CN 12H-Pyrido[2,1-c][1,4]benzothiazepine-6,12(6aH)-dione, 7,8,9,10-tetrahydro- (9CI) (CA INDEX NAME)

RN 244610-00-2 CAPLUS

CN 5H-Thiazolo[2,3-c][1,4]benzothiazepine-5,11(11aH)-dione, 7-chloro-2,3-dihydro- (9CI) (CA INDEX NAME)

RN 244610-01-3 CAPLUS

CN 5H-Thiazolo[2,3-c][1,4]benzothiazepine-5,11(11aH)-dione, 7-bromo-2,3-dihydro- (9CI) (CA INDEX NAME)

$$\mathbb{S} = \mathbb{S}$$

RN 244610-15-9 CAPLUS

CN 1H, 5H-Pyrrolo[2,1-c][1,4]benzothiazepin-5-one, 2,3,11,11a-tetrahydro-7,8-

dimethoxy- (9CI) (CA INDEX NAME)

RN 244626-16-2 CAPLUS

CN 1H, 5H-Pyrrolo[2,1-c][1,4]benzothiazepin-5-one, 11-(acetyloxy)-2,3,11,11a-

tetrahydro- (9CI) (CA INDEX NAME)

RN 244626-17-3 CAPLUS

CN 1H,5H-Pyrrolo[2,1-c][1,4]benzothiazepin-5-one, 2,3,11,11a-tetrahydro-11-methoxy- (9CI) (CA INDEX NAME)

RN 244626-18-4 CAPLUS

CN 1H,5H-Pyrrolo[2,1-c][1,4]benzothiazepin-5-one, 2,3,11,11a-tetrahydro-11-hydroxy- (9CI) (CA INDEX NAME)

IT 151324-42-4

RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); RCT (Reactant); BIOL (Biological study); RACT (Reactant or reagent)

(prepn. of thiazolothiazepines as inhibitors of HIV-1 integrase)

RN 151324-42-4 CAPLUS

CN 3H,5H,11H-Thiazolo[4,3-c][1,4]benzothiazepine-5,11-dione, 1,11a-dihydro-(9CI) (CA INDEX NAME)

IT 244610-02-4P 244610-03-5P 244610-07-9P

RL: BAC (Biological activity or effector, except adverse); BSU (Biological

RN 244610-02-4 CAPLUS

CN 5H-Thiazolo[2,3-c][1,4]benzothiazepine-5,11(11aH)-dione, 2,3-dihydro-7-methyl- (9CI) (CA INDEX NAME)

RN 244610-03-5 CAPLUS

CN 3H,5H,11H-Thiazolo[4,3-c][1,4]benzothiazepine-5,11-dione, 7-chloro-1,11a-dihydro- (9CI) (CA INDEX NAME)

RN 244610-07-9 CAPLUS

CN 3H,5H,11H-Thiazolo[4,3-c][1,4]benzothiazepine-5,11-dione, 1,11a-dihydro-7-methoxy- (9CI) (CA INDEX NAME)

IT 244610-04-6P 244610-05-7P 244610-06-8P 244610-08-0P 244610-09-1P 244610-10-4P 244610-11-5P 244610-12-6P 244610-13-7P

244610-14-8P 244610-16-0P 244610-17-1P

RL: BAC (Biological activity or effector, except adverse); BSU (Biological

study, unclassified); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation)

(prepn. of thiazolothiazepines as inhibitors of HIV-1 integrase)

RN 244610-04-6 CAPLUS

CN 3H,5H,11H-Thiazolo[4,3-c][1,4]benzothiazepine-5,11-dione, 7-bromo-1,11a-dihydro- (9CI) (CA INDEX NAME)

RN 244610-05-7 CAPLUS

CN 3H,5H,11H-Thiazolo[4,3-c][1,4]benzothiazepine-5,11-dione, 1,11a-dihydro-7-methyl- (9CI) (CA INDEX NAME)

RN 244610-06-8 CAPLUS

CN 3H,5H,1lH-Thiazolo[4,3-c][1,4]benzothiazepine-5,1l-dione, 1,1la-dihydro-8-nitro- (9CI) (CA INDEX NAME)

RN 244610-08-0 CAPLUS

CN 3H,5H,11H-Oxazolo[4,3-c][1,4]benzothiazepine-5,11-dione, 1,11a-dihydro-(9CI) (CA INDEX NAME)

RN 244610-09-1 CAPLUS CN 5H-Thiazolo[2,3-c][1,4]be

5H-Thiazolo[2,3-c][1,4]benzothiazepine-5,11(11aH)-dione, 2,3-dihydro-7-methyl-, 1-oxide (9CI) (CA INDEX NAME)

RN 244610-10-4 CAPLUS

CN 3H,5H,11H-Thiazolo[4,3-c][1,4]benzothiazepine-5,11-dione, 1,11a-dihydro-

2-oxide (9CI) (CA INDEX NAME)

RN 244610-11-5 CAPLUS

CN 12H-Pyrido[2,1-c][1,4]benzothiazepine-6,12(6aH)-dione, 2-chloro-7,8,9,10-tetrahydro- (9CI) (CA INDEX NAME)

RN 244610-12-6 CAPLUS

CN 12H-Pyrido[2,1-c][1,4]benzothiazepine-6,12(6aH)-dione, 7,8,9,10-tetrahydro-2-methoxy- (9CI) (CA INDEX NAME)

RN 244610-13-7 CAPLUS

CN 5H-Naphtho[2,3-f]thiazolo[2,3-c][1,4]thiazepine-5,13(13aH)-dione, 2,3-dihydro- (9CI) (CA INDEX NAME)

RN 244610-14-8 CAPLUS

CN 3H,5H,13H-Naphtho[2,3-f]thiazolo[4,3-c][1,4]thiazepine-5,13-dione, 1,13a-dihydro- (9CI) (CA INDEX NAME)

RN 244610-16-0 CAPLUS

CN 1H,5H-Pyrrolo[2,1-c][1,4]benzothiazepin-5-one, 2,3,11,11a-tetrahydro-11-hydroxy-11-phenyl- (9CI) (CA INDEX NAME)

RN 244610-17-1 CAPLUS

CN 1H,5H-Pyrrolo[2,1-c][1,4]benzothiazepin-5-one, 2,3,11,11a-tetrahydro-11-

(4 methyl-1-piperazinyl)- (9CI) (CA INDEX NAME)


IT 149910-60-1 151433-63-5

RL: RCT (Reactant); RACT (Reactant or reagent) (prepn. of thiazolothiazepines as inhibitors of HIV-1 integrase)

RN 149910-60-1 CAPLUS

CN 1H,5H-Pyrrolo[2,1-c][1,4]benzothiazepin-5-one, 11-chloro-2,3,11,11a-tetrahydro-, (11S,11aS)- (9CI) (CA INDEX NAME)

Absolute stereochemistry. Rotation (+).



RN 151433-63-5 CAPLUS

CN 5H,11H-Pyrrolo[2,1-c][1,4]benzothiazepine-5,11-dione, 1,2,3,11a-tetrahydro-

(9CI) (CA INDEX NAME)

RE.CNT 42 THERE ARE 42 CITED REFERENCES AVAILABLE FOR THIS RECORD ALL CITATIONS AVAILABLE IN THE RE FORMAT

L4 ANSWER 8 OF 15 CAPLUS COPYRIGHT 2003 ACS

AN 1994:8576 CAPLUS

DN 120:8576

TI Thio analogs of anti-tumor antibiotics. II. Synthesis and preliminary in vitro cytotoxicity evaluation of tricyclic [1,4]benzothiazepine derivatives

AU Garofalo, A.; Balconi, G.; Botta, M.; Corelli, F.; D'Incalci, M.; Fabrizi,

G.; Fiorini, I.; Lamba, D.; Nacci, V.

CS Dip. Farm. Chim. Tecnol., Univ. Siena, Siena, I-53100, Italy


SO European Journal of Medicinal Chemistry (1993), 28(3), 213-20 CODEN: EJMCA5; ISSN: 0223-5234

DT Journal

LA English

OS CASREACT 120:8576

GI



AB The prepn. of tricyclic [1,4]benzothiazepine derivs. starting from optically active cyclic amino acids and amino alcs. is described. The abs. configurations of the target compds. were assigned by x-ray and 1H-NMR analyses and by mol. modeling studies. The cytotoxic activity of the tricyclic derivs. was tested in vitro by growth inhibition assays using murine L1210 and human lymphoblastic CCRF-CEM leukemias. Compds.

I,


II, III exhibited marked cytotoxic activity.

IT 151324-44-6P

RN 151324-44-6 CAPLUS

CN 1H,3H,5H-Thiazolo[4,3-c][1,4]benzothiazepin-5-one, 11,11a-dihydro-, (R)-(9CI) (CA INDEX NAME)

Absolute stereochemistry.



IT 149910-60-1P 151324-60-6P 151433-64-6P

RL: SPN (Synthetic preparation); PREP (Preparation)
 (prepn. of, as intermediate for benzothiazepine anthramycin analog
 (neoplasm inhibitor))

RN 149910-60-1 CAPLUS

CN 1H,5H-Pyrrolo[2,1-c][1,4]benzothiazepin-5-one, 11-chloro-2,3,11,11a-tetrahydro-, (11S,11aS)- (9CI) (CA INDEX NAME)

Absolute stereochemistry. Rotation (+).

RN 151324-60-6 CAPLUS

CN 1H,5H-Pyrrolo[2,1-c][1,4]benzothiazepin-5-one, 2,3,11,11a-tetrahydro-, 10-oxide, (10S-cis)- (9CI) (CA INDEX NAME)

RN 151433-64-6 CAPLUS

CN 1H,5H-Pyrrolo[2,1-c][1,4]benzothiazepin-5-one, 2,3,11,11a-tetrahydro-, 10-oxide, (10R-trans)- (9CI) (CA INDEX NAME)

IT 121451-33-0P 125262-81-9P 125262-82-0P

125262-88-6P 149910-58-7P 149910-59-8P

149910-61-2P 151324-42-4P 151324-43-5P

151324-45-7P 151324-46-8P 151324-47-9P

151433-63-5P

RL: BAC (Biological activity or effector, except adverse); BSU (Biological

study, unclassified); SPN (Synthetic preparation); THU (Therapeutic use);

BIOL (Biological study); PREP (Preparation); USES (Uses) (prepn. of, as neoplasm inhibitor)

RN 121451-33-0 CAPLUS

CN 1H,5H-Pyrrolo[2,1-c][1,4]benzothiazepin-5-one, 2,3,11,11a-tetrahydro-, (11aS)- (9CI) (CA INDEX NAME)

Absolute stereochemistry. Rotation (+).

RN 125262-81-9 CAPLUS
CN 5H,11H-Pyrrolo[2,1-c][1,4]benzothiazepine-5,11-dione, 1,2,3,11a-tetrahydro7,8-dimethoxy- (9CI) (CA INDEX NAME)

RN 125262-82-0 CAPLUS
CN 1H,5H-Pyrrolo[2,1-c][1,4]benzothiazepin-5-one, 2,3,11,11a-tetrahydro-7,8dimethoxy-, (S)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

RN 125262-88-6 CAPLUS
CN 6H,11H-1,3-Dioxolo[4,5-h]pyrrolo[2,1-c][1,4]benzothiazepin-11-one,
6a,7,8,9-tetrahydro-, (S)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

RN 149910-58-7 CAPLUS CN 1H,5H-Pyrrolo[2,1-c][1,4]benzothiazepin-5-one, 11-(acetyloxy)- 2,3,11,11atetrahydro-, (11S-trans)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

RN 149910-59-8 CAPLUS


CN 1H,5H-Pyrrolo[2,1-c][1,4]benzothiazepin-5-one, 2,3,11,11a-tetrahydro-11-hydroxy-, (11R-cis)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

RN 149910-61-2 CAPLUS

CN 1H,5H-Pyrrolo[2,1-c][1,4]benzothiazepin-5-one, 2,3,11,11a-tetrahydro-11-methoxy-, (11R-cis)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 151324-42-4 CAPLUS

CN 3H,5H,11H-Thiazolo[4,3-c][1,4]benzothiazepine-5,11-dione, 1,11a-dihydro-(9CI) (CA INDEX NAME)

RN 151324-43-5 CAPLUS

CN 3H,5H,11H-Thiazolo[4,3-c][1,4]benzothiazepine-5,11-dione, 1,11a-dihydro-7,8-dimethoxy- (9CI) (CA INDEX NAME)

RN 151324-45-7 CAPLUS

CN 1H,3H,5H-Thiazolo[4,3-c][1,4]benzothiazepin-5-one, 11,11a-dihydro-3-phenyl-(9CI) (CA INDEX NAME)

RN 151324-46-8 CAPLUS

CN 5H-Thiazolo[2,3-c][1,4]benzothiazepine-5,11(11aH)-dione, 2,3-dihydro-(9CI) (CA INDEX NAME)

RN 151324-47-9 CAPLUS

CN 12H-Pyrido[2,1-c][1,4]benzothiazepine-6,12(6aH)-dione, 7,8,9,10-tetrahydro- (9CI) (CA INDEX NAME)

RN 151433-63-5 CAPLUS

CN 5H,11H-Pyrrolo[2,1-c][1,4]benzothiazepine-5,11-dione, 1,2,3,11a-tetrahydro-(9CI) (CA INDEX NAME)

L4 ANSWER 9 OF 15 CAPLUS COPYRIGHT 2003 ACS

AN 1993:539145 CAPLUS

DN 119:139145

TI Benzothiazine and benzothiazepine derivatives: Synthesis and preliminary biological evaluation

AU Garofalo, Antonio; Campiani, Giuseppe; Fiorini, Isabella; Nacci, Vito

CS Dip. Farm. Chim. Technol., Univ. Siena, Siena, 53100, Italy

SO Farmaco (1993), 48(2), 275-83 CODEN: FRMCE8; ISSN: 0014-827X

DT Journal; General Review

LA English

AB A review of the author's recent work on the prepn. of tricyclic benzothiazines and benzothiazepines via intramol. cyclization reactions and their functionalization to biol. active compds.

IT 149910-58-7P 149910-59-8P 149910-60-1P 149910-61-2P

RL: SPN (Synthetic preparation); PREP (Preparation) (prepn. and functionalization of, biol. compds. from)

RN 149910-58-7 CAPLUS

CN 1H,5H-Pyrrolo[2,1-c][1,4]benzothiazepin-5-one, 11-(acetyloxy)-2,3,11,1la-tetrahydro-, (11S-trans)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

RN 149910-59-8 CAPLUS

CN 1H,5H-Pyrrolo[2,1-c][1,4]benzothiazepin-5-one, 2,3,11,11a-tetrahydro-11-hydroxy-, (11R-cis)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

RN 149910-60-1 CAPLUS

CN 1H,5H-Pyrrolo[2,1-c][1,4]benzothiazepin-5-one, 11-chloro-2,3,11,11a-tetrahydro-, (11S,11aS)- (9CI) (CA INDEX NAME)

Absolute stereochemistry. Rotation (+).

RN 149910-61-2 CAPLUS

CN 1H,5H-Pyrrolo[2,1-c][1,4]benzothiazepin-5-one, 2,3,11,11a-tetrahydro-11-methoxy-, (11R-cis)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

L4 ANSWER 10 OF 15 CAPLUS COPYRIGHT 2003 ACS

AN 1991:656136 CAPLUS

DN 115:256136

TI Synthesis of 3-amino-2,3-dihydro-1H-pyrido[3,2,1-kl]phenothiazine 5,5-dioxide and of 3-amino-1,2-dihydro-3H-dibenzo[c,jk]pyrido[2,1-c]-

1,4-

thiazepine 7,7-dioxide

AU Catsoulacos, P.; Pelecanou, M.; Camoutsis, C.

CS Sch. Health Sci., Univ. Patras, Patras, 26500, Greece

SO Journal of Heterocyclic Chemistry (1991), 28(5), 1437-40 CODEN: JHTCAD; ISSN: 0022-152X

DT Journal

LA English

GΙ

AB 3-Aminopyrido[3,2,1-kl]phenothiazine 5,5-dioxide I and aminodibenzo[c,jk]pyrido[2,1-c]thiazepine 7,7-dioxide II were synthesized

from the corresponding 3-oxime acetates by redn. with the borane-tetrahydrofuran complex. Redn. was not successful in the case of 2,3-dihydro-1H-pyrido[3,2,1-kl]phenothiazine-3-oxime acetate.

IT 43168-21-4

RL: RCT (Reactant); RACT (Reactant or reagent)
 (oximation of)

RN 43168-21-4 CAPLUS

CN 3H,12H-Quino[8,1-bc][1,4]benzothiazepine-3,12-dione, 1,2-dihydro-, 7,7-dioxide (9CI) (CA INDEX NAME)

IT 137279-78-8P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent) (prepn. and acetylation of)

RN 137279-78-8 CAPLUS

CN 1H,12H-Quino[8,1-bc][1,4]benzothiazepine-3,12(2H)-dione, 3-oxime, 7,7-dioxide (9CI) (CA INDEX NAME)

IT 137279-79-9P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent) (prepn. and redn. of)

- RN 137279-79-9 CAPLUS
- CN 1H,12H-Quino[8,1-bc][1,4]benzothiazepine-3,12(2H)-dione, 3-(O-acetyloxime), 7,7-dioxide (9CI) (CA INDEX NAME)

L4ANSWER 11 OF 15 CAPLUS COPYRIGHT 2003 ACS AN 1990:98498 CAPLUS 112:98498 DN Thioanalogs of antitumor antibiotics. I. Synthesis of 7,8-ΤI disubstituted 5,11-dioxo-1,2,3,11a-tetrahydro-5H,11H- and 5-oxo-2,3,11,11a-tetrahydro-1H, 5H-pyrrolo[2,1-c][1,4]benzothiazepine AU Nacci, V.; Garofalo, A.; Anzini, M. CS Dip. Farm. Chim. Tecnol., Univ. Siena, Siena, Italy Farmaco (1989), 44(4), 423-33SO CODEN: FRMCE8; ISSN: 0014-827X DT Journal LΑ English os CASREACT 112:98498

AB The synthesis of 7,8-dimethoxy-5,11-dioxo-1,2,3,11a-tetrahydro-5H,11Hpyrrolo[2,1-c][1,4]benzothiazepine (I), 6,11-dioxo-6a,7,8,9-tetrahydro-6H, 11H-[1, 3] dioxolo[4, 5-h] pyrrolo[2, 1-c][1, 4] benzothiazepine (II), (11aS)-7,8-dimethoxy-5-oxo-2,3,11,11a-tetrahydro-1H,5H-pyrrolo[2,1c][1,4]benzothiazepine (III) and (6aS)-11-oxo-6a,7,8,9-tetrahydro-6H.11H-[1,3]dioxolo[4,5-h]pyrrolo[2,1-c][1,4]benzothiazepine (IV) are reported. IT 125262-81-9P 125262-82-0P 125262-87-5P 125262-88-6P RL: SPN (Synthetic preparation); PREP (Preparation) (prepn. of)

RN 125262-81-9 CAPLUS

GΙ

CN 5H,11H-Pyrrolo[2,1-c][1,4]benzothiazepine-5,11-dione, 1,2,3,11atetrahydro-

7,8-dimethoxy- (9CI) (CA INDEX NAME)

RN 125262-82-0 CAPLUS
CN 1H,5H-Pyrrolo[2,1-c][1,4]benzothiazepin-5-one, 2,3,11,11a-tetrahydro-7,8dimethoxy-, (S)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

RN 125262-87-5 CAPLUS

CN 6H,11H-1,3-Dioxolo[4,5-h]pyrrolo[2,1-c][1,4]benzothiazepine-6,11-dione, 6a,7,8,9-tetrahydro- (9CI) (CA INDEX NAME)

RN 125262-88-6 CAPLUS

CN 6H,11H-1,3-Dioxolo[4,5-h]pyrrolo[2,1-c][1,4]benzothiazepin-11-one, 6a,7,8,9-tetrahydro-, (S)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

L4 ANSWER 12 OF 15 CAPLUS COPYRIGHT 2003 ACS

AN 1989:439326 CAPLUS

DN 111:39326

TI Polycondensed heterocycles. III. Synthesis of 5,11-dioxo-1,2,3,11a-tetrahydro-5H,11H- and 5-oxo-2,3,11,11a-tetrahydro-1H,5H-pyrrolo[2,1-c][1,4]benzothiazepine

AU Nacci, V.; Garofalo, A.; Anzini, M.; Campiani, G.

CS Dip. Farm. Chim. Tecnol., Univ. Siena, Siena, 53100, Italy


SO Journal of Heterocyclic Chemistry (1988), 25(3), 1007-13 CODEN: JHTCAD; ISSN: 0022-152X

DT Journal

LA English

OS CASREACT 111:39326

GI



AB The title compds. I (X = 0, H2) were prepd. in several steps by cyclocondensation of L-proline or (S)-prolinol derivs. resp., with 2-(methylthio)benzoic acid derivs. I have structures similar to several benzodizaepine antitumor antibiotics.

IT 104207-34-3P 121451-33-0P

RL: SPN (Synthetic preparation); PREP (Preparation) (prepn. of)

RN 104207-34-3 CAPLUS

CN 5H,11H-Pyrrolo[2,1-c][1,4]benzothiazepine-5,11-dione, 1,2,3,11a-tetrahydro-, (S)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

RN 121451-33-0 CAPLUS

CN 1H,5H-Pyrrolo[2,1-c][1,4]benzothiazepin-5-one, 2,3,11,11a-tetrahydro-, (11aS)- (9CI) (CA INDEX NAME)

Absolute stereochemistry. Rotation (+).

L4 ANSWER 13 OF 15 CAPLUS COPYRIGHT 2003 ACS

AN 1986:533532 CAPLUS

DN 105:133532

TI Aromatic N-substituted amide derivatives

IN Morisawa, Yasuhiro; Nishi, Takehide; Tsujita, Yoshio

PA Sankyo Co., Ltd., Japan

SO Jpn. Kokai Tokkyo Koho, 8 pp.

CODEN: JKXXAF

DT Patent

LA Japanese

FAN.CNT 1

1181.011 1					
	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	JP 61068457	A2	19860408	JP 1984-190477	19840913
PRAI	JP 1984-190477		19840913		
os	CASREACT 105:133532				
GI					

AB o-RC6H4CONR1CR2R3CO2R4 [I; OH, SH, acylthio, CO2H, alkoxycarbonyl, RR4 may

form thiolactone ring; R1 = (un)substituted alkyl, cycloalkyl, arom. condensed cycloalkyl, aryl, aralkyl, heterocyclic ring, heterocyclic alkyl; R1R2 may form (arom. condensed) 5-6-membered ring; R2, R3 = H, alkyl; R4 = H, protective group] and pharmacol. permissible salts of I, useful as antihypertensives via inhibiting effects on angiotensin converting enzyme, were prepd. Thus, refluxing bis(2-carboxyphenyl) disulfide with L-proline Me ester HCl salt in anhyd. THF gave 67% II, which was reduced using Ph3P in dioxane to give 74% III. Then III was deprotected and treated with DCC n the presence of 4-(dimethylamino)pyridine to give 94% title compd. IV, which showed IC50 against angiotensin converting enzyme at 8.5 .times. 10-6 mol/L in

vitro.

IT 104207-34-3P

RL: BAC (Biological activity or effector, except adverse); BSU (Biological

study, unclassified); SPN (Synthetic preparation); THU (Therapeutic use);


BIOL (Biological study); PREP (Preparation); USES (Uses) (prepn. of, as antihypertensive)

RN 104207-34-3 CAPLUS
CN 5H,11H-Pyrrolo[2,1-c][1,4]benzothiazepine-5,11-dione, 1,2,3,11a-tetrahydro, (S)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



- L4 ANSWER 14 OF 15 CAPLUS COPYRIGHT 2003 ACS
- AN 1973:515543 CAPLUS
- DN 79:115543
- TI Synthesis of dibenzo[b,f]-1,4-thiazepin-10-one 5,5-dioxide derivatives
- AU Catsoulacos, P.
- CS Lab. Chem. Pharm., Univ. Athens, Athens, Greece
- SO Bulletin de la Societe Chimique de France (1973), (6) (Pt. 2), 2136-7 CODEN: BSCFAS; ISSN: 0037-8968
- DT Journal
- LA French
- GI For diagram(s), see printed CA Issue.
- AB The dibenzothiazepinone dioxide I (R = H) was prepd. by Beckmann rearrangement of 10-(hydroxyimino)thioxanthene 5,5-dioxide. Treating I (R
 - = H) with CH2:CHCN gave I (R = CH2CH2CN), which was hydrolyzed to I (R = CH2CH2CO2Me, CH2CH2CO2H), both of which were cyclized with POCl3 to the dibenzopyridothiazepinedione dioxide II. Reaction of II with NaN3-H3PO4 gave 1,2,3,4-tetrahydrodibenzo[c,kl][1,4]diazepino[2,1-
- c][1,4]thiazepine-
 - 3,13-dione 8,8-dioxide (III).
- IT 43168-21-4P
- RN 43168-21-4 CAPLUS
- CN 3H,12H-Quino[8,1-bc][1,4]benzothiazepine-3,12-dione, 1,2-dihydro-, 7,7-dioxide (9CI) (CA INDEX NAME)



L4 ANSWER 15 OF 15 CAPLUS COPYRIGHT 2003 ACS

AN 1972:34228 CAPLUS

DN 76:34228

TI Syntheses of heterocyclic compounds involving sulfur. III. Synthesis

of

4-methyl-1,2,3,4-tetrahydrodibenzo[c,Kl]-1,4-diazepino[2,l-c]-1,4-thiazepine

AU Shirai, Hideaki; Hayazaki, Takanori; Maki, Akemichi

CS Fac. Pharm. Sci., Nagoya City Univ., Nagoya, Japan

SO Yakugaku Zasshi (1971), 91(11), 1228-32 CODEN: YKKZAJ; ISSN: 0031-6903

DT Journal

LA Japanese

AB Dehydrative cyclization of 3-[11-oxodibenzo[b,f]-1,4-thiazepin-10-yl]propionic acid, obtained by hydrolysis of 10-(.beta.-cyanoethyl)dibenzo[b,f]-1,4-thiazepin-11-one with HCl, with P2O5

afforded
1,2-dihydro-3H-dibenzo[c,jk]pyrido[2,1-c]-1,4-thiazepine-3,12-dione (I).
The Schmidt reaction of I gave 1,2,3,4-tetrahydrodibenzo[c,kl]-1,4-diazepino[2,1-c]-1,4-thiazepine-3,13-dione (II) and the Me compd. of II

was reduced with LiAlH4 to 4-methyl-1,2,3,4-tetrahydrodibenzo[c,kl]-1,4-diazepino-[2,1-c]-1,4-thiazepine (I).

IT 34752-73-3P 34752-78-8P

RL: SPN (Synthetic preparation); PREP (Preparation)
 (prepn. of)

RN 34752-73-3 CAPLUS


CN 3H,12H-Quino[8,1-bc][1,4]benzothiazepine-3,12-dione, 1,2-dihydro- (9CI) (CA INDEX NAME)

RN 34752-78-8 CAPLUS

CN 3H,12H-Quino[8,1-bc][1,4]benzothiazepine-3,12-dione, 1,2-dihydro-, 3-oxime

(9CI) (CA INDEX NAME)

=> d l1; d his; log y L1 HAS NO ANSWERS L1



G1 C, O, S

Structure attributes must be viewed using STN Express query preparation.

(FILE 'REGISTRY' ENTERED AT 17:52:28 ON 08 MAY 2003) 🗸

DEL HIS

L1STRUCTURE UPLOADED

L23 S L1 L348 S L1 FUL

FILE 'CAPLUS' ENTERED AT 17:53:48 ON 08 MAY 2003

L415 S L3

FILE 'BEILSTEIN' ENTERED AT 17:54:32 ON 08 MAY 2003

L5 2 S L1

L6 49 S L1 FUL

42 S L6 NOT L3 L7

dyphule of CAMUS 42 S L6 NOT L4

FILE 'MARPAT' ENTERED AT 17:56:08 ON 08 MAY 2003

COST IN U.S. DOLLARS SINCE FILE TOTAL ENTRY SESSION FULL ESTIMATED COST 0.40 1475.22 DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS) SINCE FILE TOTAL

ENTRY SESSION CA SUBSCRIBER PRICE 0.00 -9.77

STN INTERNATIONAL LOGOFF AT 17:56:22 ON 08 MAY 2003